WEST BENGAL POLLUTION CONTROL BOARD

'Paribesh Bhawan' Bldg. No. - 10A, Block - LA, Sector-III Salt Lake City, Kolkata-700 098



Consent Letter Number: CO128901

Memo Number: 133-as-co-8/10/0041.

Date: 16/12/2019

Consent to Operate

under

Section 25 & 26 of the Water (Prevention and Control of Pollution) Act, 1974 and Section 21 of the Air (Prevention and Control of Pollution) Act, 1981

The West Bengal Pollution Control Board (hereinafter referred to as State Board) under the provisions of Section 25 &

26 of the Water (Prevention and Control of Pollution) Act, 1974, as amended and Section 21 of the Air (Prevention and Control of Pollution) Act, 1981, as amended and Rules and Orders made thereunder, hereby grants its consent to:
MIS. Shyam Sells Power Hd. CA
(hereinafter referred to as Applicant) for its unit located at Vill: - Dhasna, P.O Baladeurpus
P.S Jamuria, Dist-Paschim Bardhaman Pin-7/3362
(Detailed address of the manufacturing unit)
for a period from Date of issue. to 31/07/2023
to operate the industrial unit and to discharge liquid effluent and to emit gaseous effluent from the premises/land of the indus-
trial unit, in accordance with the conditions as mentioned in the Annexure to this consent letter provided on any day at any
instance the quantity and quality of liquid discharge and gaseous emission shall not exceed the permissible limit as specified in
the Table I & II of this consent letter and in the Environmental (Protection) Act, 1986.

Breach of the conditions and / or failure to comply with the directions as set out in the Annexure shall render the applicant liable for prosecution under the provisions of the Water (Prevention and Control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981.

The State Board reserve the right to revoke, withdraw or make any reasonable variation / change / alter the conditions of this consent letter giving one month's notice to the applicant.

Seal)
Portosch Bluwen 2.

Diction Sei & Kokele-106

For and on behalf of the State Board

(Member Secretary/Chief Engr./ Sr. Env. Engr. / Env. Engr. / Asst. Env. Engr.)

W. B. Pollution Control Board Operation & Execution Cell

ANNEXURE

Consent to	MIS. Shyam Sel & Power Lt	<u>a</u>),
for its unit	at Vill: Dhasna, P.OBehadurp	
Dist	- Paschin Bardhaman, Pin - 71	3362
Conditions		
	is Consent is valid for the manufacture of:-	
Sl. No.	Name of major products and by-products	Quantity manufactured per month
01	Ferro Manganso	
02	M. S. Billela	1500 MT/month
03	M.S. Wire Rod	10800 MT/month 16667 MT/month
04		100813 (I) Money
05	WEST BEN	GA
06		
07		
08		
09		
10		
11		
12		
02. The A_{I}	oplicant shall remain responsible for quantity and quality of	of liquid effluent and air emissions.
	discharge of industrial liquid effluent shall not exceed	
04. Daily	discharge of domestic liquid effluent shall not exceed):450 KL
)5. Daily	discharge of mixed (industrial & domestic) liquid effluent	shall not exceedKI
06. The Ap	pplicant shall discharge liquid effluent to Soak = 1 modern to souther shall discharge liquid effluent effect to souther shall discharge liquid effluent effect to souther shall discharge liquid effluent effect to souther shall discharge liq	(place of discharge)
7. To brin	g into any altered or new outlet/outfall or to change the plac ard and obtain prior permission of the Board in this effect.	
waste	oplicant shall provide comprehensive facility for treatmen (sewage, sullage and liquid effluent generated from coously so that the quality of final effluent conforms to the Society	canteen), and operate and maintain the same

(Member Secretary/Chief Engr./ Sr. Env. Engr. / Env. Engr. / Asst. Env. Engr.)

Environmental Engineer

W. B. Pollution Control Board

Operation & Execution Cell

Dist	- Pascl	nim Bardhaman, Pin-	7/3362	
Outlet No.	Nature of effluent	Parameters	Standard	Frequency of effluent sampling
. The	Domestic Applicant fall	pH Total Suspended Solids Biochemical Oxygen Demand (3day at 27°C) Chemical Oxygen Demand Oil & Grease	Between: 5,5 to 9,0) Not to exceed: 100 mg/1. Not to exceed: 30 mg/1. Not to exceed: 250 mg/1. Not to exceed: 10 mg/1. Category of the V	Yearly Vater (Prevent
and prov Dail	Control of Po- visions of the sa ly water consum industrial cooling Water used for	Ilution) Cess Act, 1977 and Rules made the aid Act and Rules made thereunder. Imption for the following purposes should not ang, spraying in mine pits and boiler feed water gardening should be included in this category.	exceed:- or	comply with
• I	Domestic purportions of the purportion of the pu	reby water gets polluted and the pollutants	→	

(Member Secretary/Chief Engr./Sr. Env. Engr. / Env. Engr. / Asst. Env. Engr.)

Environmental Engineer
W. B. Pollution Control Beardinued......
Operation & Execution Cell

Consent to Mls. Shyam Sel & Power Ltd.
for its unit at Villi Dhasna, P.OBahadurpus, P.S Jamuria,
Dist-Paschim Bardhaman, Pin-7/3362

- 11. The *Applicant* shall install suitable device for measuring the volume of water consumed for different purposes as mentioned above giving correct result to the satisfaction of the *State Board*.
- 12. All the stacks connected to various sources of emissions must be designated by numbers such as S-1, S-2, S-3, etc., and this must be painted/displayed to faciliate identification.
- 13. The *Applicant* shall install comprehensive control system consisting of pollution control equipment as is warranted with reference to generation of air emissions and operate and maintain the same continuously so as to achieve the level of pollutants of the *Standard* as given in Table-II below:

Table-II

Stack No.	Stack height from	Stack attached to (sources and control system.	Volume Nm³/hr.	Velocity of gas emission	of gas				Frequency of emission sampling	
	G.I., (in mts.)	if any):	WE:	m/sec	SPM (mg/Nm³)	CO (%v/v)	AL			,
S-I	40	CH SFAF			50					Quarterly
S-2	30	No.9210 Induction Furnace.			50				-	'n
S-3		(18 Ton each)							e.	
S-4			7					,		ŧ
S-5								-		
S-6						* *	e e			20
S-7			ı.							
S-8										3
S-9		0 0				×				
S-10		9	2			3:				

Consent to M.S. Shyam Sel & Power Ltd.

for its unit at VIII: Dhasna, P.O.-Bahaduspus, P.S.-Jamusia,

ilt-Paschin Bardhaman, Pin-7/3362

14. The Applicant shall provide ports in the stack(s) and other necessary permanent facilities such as ladder, platform, etc. for monitoring/sampling the air emissions and the same shall be made available for inspection and use by the State Board's staff as well as State Board's authorised agencies.

15. The Applicant shall observe the following fuel consumption pattern:

Sl. No	Type of fuel	Quantity consumed per day	Fuel burning operation where the fuel is used
01			
02			
03			
04	e e		
05			

16. The Applicant shall maintain the generation and treatment/disposal of non-hazardous solid waste as specified below:-

Type of waste	Quantity	Treatment	Disposal
Ferro Manganese Siaa	600.00 MT/moull		Recycle in Process.
EMS SMS	2190.00 MT/month		Recycle in Process.

End Culting LMill Scale 70 MT/moult.

The Applicant shall take adequate measures for control of noise levels from its own sources within the premises within the limit given below :-

Time	Limit in dB(A) L _{eq}
Day Time (06 a.m. to 09 p.m.)	65
Night Time (09 p.m. to 06 a.m.)	55

- 18. The Applicant shall at all times maintain good house-keeping, proper working order, and operate efficiently for control of pollution from all sources so as not to cause nuisance to surrounding areas/inhabitants and to achieve compliance with the terms and conditions of the consent.
- The Applicant shall bring about at least 33% of the available open land under the green coverage / plantation.
- The Applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by the Applicant to maintain compliance with the terms and conditions of the consent. In absence of such an alternate electric power source, the Applicant shall stop, reduce or otherwise control production to abide by the terms and conditions of the Consent regarding pollution level.
- The Applicant shall install a separate energy meter showing the consumption of energy for operation of pollution 21. control devices.
- The Applicant shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- The Applicant shall provide drainage system for conveying industrial and domestic liquid waste. Storm-water drain shall be kept separate from the drainage system meant for industrial and domestic liquid waste

(Member Secretary/Chief Engr./Sr. Env. Engr. / Env. Engr. / Asst. Env. Engr.)

Environmental Engineer

W. B. Pollution Control Board Continued......

Operation & Execution Cell

Consent to MS. Shyam Sel & Power 40.	
for its unit at VIII: - Dhalna, P.O Bahadupur, P.S Jamusia,	
Dist-Paschin Bardhaman Pin-713362	

- 24. The *Applicant* shall maintain a separate register showing consumption of chemicals used in pollution control systems.
- 26. The *Applicant* shall provide adequate and safe facility for collection of air, waste water and solid waste samples by the *State Board's* staff as well as *State Board's* authorised agencies.
- 27. The *Applicant* shall submit to the *State Board* by the 30th September of every year the Environmental Statement Report for the financial year ending 31st March of the current year in the prescribed form (Form -V) as required under the provisions of rule 14 of the Environment (Protection) [Second Amendment] rules, 1992.
- 28. The Applicant shall allow the Officers of the State Board to enter into the applicant's premises at any reasonable time to inspect the pollution control systems as well as monitoring and measuring devices in connection with prevention & control of pollution.
- 29. The *Applicant* shall maintain an Inspection Book in the factory premises which shall be made available to Officers & employees of the *State Board* for inspection, review and to write down any direction or observation as is deemed necessary during the inspection from time to time.
- 30. The *Application* shall furnish to the *State Board* all information in respect of quality, quantity, rate of discharge, place of discharge of liquid effluent and air emissions.
- 31. The *Applicant* shall maintain adequate number of qualified and trained personnel among his staff for proper maintenance and operation of the effluent treatment and / or emission control devices and for overall environment management of the industry.
- 32. The Applicant shall have to make registration for the use of groundwater if any, with Central Ground Water Authority.
- 33. The *Applicant* shall intimate to the *State Board* immediately of any occurrence or apprehension of occurrence of discharge of any poisonous, noxious or pollutants in excess of quality as well as quality as mentioned earlier to any receiving water body/receiving system or to atmosphere owing to accident or other unforeseen incident/event including natural disaster. The *Applicant* Shall (i) take all steps adequate to prevent such accident discharge/release of poisonous, noxious or pollutants and to limit their consequences to persons and the environment, (ii) provide to the persons working on the site with the information, training and equipment including antidotes necessary to ensure their safety and mitigate the accidental release of poisonous noxious or pollutants to the environment.
- 34. The *Applicant* shall make an application to the *State Board* in the prescribed form for renewal of the consent at least 60 (sixty) days before the date of expiry of this Consent.
- 35. The *Applicant* shall not make any alternation/modification/expansion in the existing manufacturing process and equipment as well as the pollution control system without prior approval of the Board.
- 36. The *Applicant* shall comply with the conditions as laid down in the Manufacture, Storage and Import of hazardous Chemicals Rules, 1989 and Hazardous Wastes (Management & Handling) Rules, 1989.

Additional Conditions See Annexure,

(Member Secretary/Chief Engr./ Sr. Env. Engr./ Env. Engr. / Asst. Env. Engr.)

Environmental Engineer

Annexure to Consent Letter Number - CO128901

Additional Conditions issued to M/s. Shyam Sel & Power Ltd. at existing factory premises Vill-Dhasna, P.O-Bahadurpur, P.S-Jamuria, Dist-Paschim Bardhaman, PIN--713362.

- 1. The unit should comply all the conditions mentioned in earlier Environment Clearance, Consent to Establish and Consent to Operate issued on several dates.
- 2. This consent may be revoked at any time on violation of environmental norms.
- 3. The unit shall develop tree plantation/greeneries as per EC/NOC condition during monsoon season and submit compliance report.
- 4. The unit should increase the number of water sprinklers.
- 5. This Consent to Operate is valid for expansion unit i.e. No. 9 & 10 Induction Furnace(2x18Ton), SEAF No.6 (9 MVA) & Wire Rod Mill (0.2 MTPA) only.

Environmental Engineer
West Bengal Pollution Control Board

Environmental Engineer
W. B. Pollution Control Board
Operation & Execution Cell